


DS-KAD606-N Video/Audio Distributor

Key Features



- 8 RJ-45 interfaces, including 6 adaptive 10/100 Mbps LAN interfaces supporting network cable powering and 2 adaptive 10/100 Mbps cascading LAN interfaces
- 6 adaptive 10/100 Mbps LAN interfaces supports providing 24 VDC for video intercom devices
- IEEE802.3, IEEE802.3u, IEEE802.3x
- Storing and forwarding function
- Over 1000,000 h mean time between failure

Typical Application




Specifications

Model	DS-KAD606-N	
Network parameters	Interface number	Eight 10/100 Mbps Interfaces
	Interface type	RJ-45, Full/Half-Duplex, MDI/MDI-X Self-Adaptive
	Standard	IEEE802.3, IEEE802.3u, IEEE802.3x
	Processing type	Storing and Forwarding
	Flow control	IEEE802.3x (Full-Duplex), Back Pressure (Half-Duplex)
	Priority queue	Four
	Max. VLAN	64
	VLAN ID No.	VID1 to VID4094
	MAC address list	8K
	Internal buffer	1 Mbit
General	Power supply	24 VDC
	Power consumption	≤8 W
	Working temperature	-10° C to 55° C (14° F to 131° F)
	Working humidity	10% to 90%, No Condensation
	Dimensions (L × W × H)	176 mm × 91 mm × 32 mm (69.3" × 35.8" × 12.6")

Available Model

DS-KAD606-N

Physical Interfaces



Index	Description
1	8 RJ-45 Interfaces
2	Power Indicator
3	24 VDC, Power Socket

Notes:

- Interfaces (A1, A2, A3, A4, A5, and A6) are 6 adaptive 10/100 Mbps LAN interfaces supporting network cable powering.
- Interfaces (A7 and A8) are 2 adaptive 10/100 Mbps cascading LAN interfaces.

Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Europe
T +31-23-55-42-770
info.eu@hikvision.com

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision UK
T +01628-902140
support.uk@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Korea
T +82-31-731-8841
sales.korea@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Africa
T +27 (10) 0351172
sale.africa@hikvision.com

Hikvision Hong Kong
T +852-2151-1761